



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/815,307	04/01/2004	Stephen C. Englund	2003P18353US	9052

7590 05/11/2006  
Siemens Corporation  
Intellectual Property Department  
170 Wood Avenue South  
Iselin, NJ 08830

EXAMINER
----------

BUDD, MARK OSBORNE

ART UNIT	PAPER NUMBER
----------	--------------

2834

DATE MAILED: 05/11/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

# Office Action Summary

Application No.

10/815,307

Applicant(s)

ENGLUND ET AL.

Examiner

Mark Budd

Art Unit

2834

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --  
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

## Status

- 1) ☒ Responsive to communication(s) filed on 05 April 2006.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

## Disposition of Claims

- 4) ☒ Claim(s) 14-26 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 14-26 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

## Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

## Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

## Attachment(s)

- ☐ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_
- ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_
- ☐ Notice of Informal Patent Application (PTO-152)
- ☐ Other: \_\_\_\_\_

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claim 14-24 and 26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kawabe in view of Gilmore (590). As noted above Kawabe teaches the basic backing block structure including alternate layers of flex circuits and acoustic attenuating material. Kawabe however does not show either the trace elements or the trace elements supporting layer diverging from the Z-axis within the backing material. However, Gilmore (590) (note figure 5a) teaches that changing the pitch at each end of a printed circuit element allows for easier connections to be made by increasing the distance between adjacent elements. This allows the use of bonding pads larger than the width of the trace elements on the circuit board. It also allows more workspace when making the electrical connections to the printed circuit boards. Thus, for these reasons it would have been obvious to one of ordinary skill in the art to fan out either the

Art Unit: 2834

conductive traces or the printed circuit boards themselves in Kawabe since only a small portion of the printed circuit boards project beyond the acoustic absorbing material, it is reasonable to achieve the fanning out within the confines of the backing block.

Claim 25 (as understood) is rejected under 35 USC 103 as on patentable over Lorraine in view of Gilmore (590). Lorraine, note especially figures 3-5 teaches a backing block made up of alternating layers of acoustic absorbing material. These layers have grooves cut into one side and the grooves are filled with a conductive material (electrical traces). Thus, the acoustic attenuating material is also the trace supporting material. Lorraine does not show a different spacing for the traces from one end of the block to another. However, for the reasons stated above it regard to Gilmore (590), it would have been obvious to one of ordinary skill of the art to provide Lorraines electrical traces with a different spacing at the back side of the block as compared with the spacing at the transducer side of the block.

Regarding applicants comments it is noted that providing Kawabe with a change in pitch would inherently lead to the provision of non-uniform thickness layers such the construction is based on providing alternate conductive and insulating layers rather than traces printed on a surface. It is also noted that the claims did not specify which end of the conductor. Block has the whiter pitch-they only specify that the pitch differs along the Z-axis. It is pointed out that historically, a change in pitch can't be provided to accommodate a wider spacing between the transducer elements and the connection

Art Unit: 2834

pants or, conversely the pitch is often greater at the connection pad end in order to accommodate large pad areas which simplify bonding of the lead wires (official notice taken).

**THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).


A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mark Budd whose telephone number is 571-272-2019. The examiner can normally be reached on Monday-Thursday from 6 a.m. to 4 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Darren Schuberg, can be reached on 571-272-2044. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2834

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

  
Mark Budd  
Primary Examiner  
Art Unit 2834